ENGINEERING DEPARTMENT

BANGALORE DIVISION.

Notification dated 19th July 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 5th August 1935, for constructing Diara Urdu Primary Girls' School at Channapatna. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. to 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees four hundred (Rs. 400) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Constructing Diara Urdu Primary Girls' School at Channapatna" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities required for constructing Diara Urdu Primary Girls' School at Channapatna.

No.	Items of work	Unit	Quantity	Rate in	
				Figures	Words
				Rs.	Rs.
1	Earthwork excavating foundation and filling in basement with consolidation	C.yd.	209		
2	Stone jelly concrete in lime mortar for foundation..	C.ft.	1,566		
3	Size stone in clay for foundation with bond stones, etc.	,,	2,759		
4	Do basement do ..	,,	1,047		
5	Burnt brick in clay superstructure	,,	5,556		
6	Burnt stone slabs 6″ thick dressed and fixed in mortar	S.ft.	723		
7	Do 2 line dressed and fixed in mortar for basement and steps	,,	204		
8	Mysore teakwood wrought and put up with two coats of wood oiling, etc., complete	C.ft.	259·28		
9	Teakwood doors panelled with frames $4\frac{1}{2}'' \times 3\frac{1}{2}''$ with $1\frac{1}{2}''$ thick shutters with iron clamps and fittings, etc., complete	S.ft.	319		
10	Teakwood panelled windows with frames $4'' \times 3\frac{1}{2}''$ and $\frac{3}{4}''$ dia. iron bars and $1\frac{1}{4}''$ thick shutters with iron clamps and fittings, etc., complete	,,	315		

No.	Items of work	Unit	Quantity	Rate in Figures	Rate in Words
				Rs.	Rs.
11	Providing and fixing reinforced concrete ventilators as per approved design	,,	135		
12	Roofing with 1st class Mangalore Tiles on 2″×1″ teakwood reepers wood oiled including nailing and fixing the eave tiles by a teak batten 2″×1″, etc., complete	Sqr.	39·32		
13	Ridge tiles set in mortar and pointed with cement.	R.ft.	249		
14	Plastering with chunnam mortar two coats ¾″ thick	Sqr.	112·47		
15	Whitewashing two coats	,,	73·51		
16	Colour washing two coats	,,	38·96		
17	Burnt brick in clay cornice 9″ all round the building.	R.ft.	347		
18	Providing and fixing teakwood eave board 9″ wide 1″ thick plain including two coats of painting ..	R.ft.	91		
19	Cut stone pillars with base and capital, etc., complete	Each	9		
20	Cement pointing to basement	Sqr.	5·03		
21	Chunnam border at the junction of wall and verandah roof	R.ft.	111		
22	Flooring with cement (red coloured) over 3″ stone jelly concrete in chunam marking diagonals, etc.	Sqr.	23·71		
23	Silicate painting to doors and windows	,,	12·94		
24	Teakwood plank ½″ with galvanized iron sheet 2½′ wide for valleys with mortar band plastering etc., complete	S.ft.	204		
25	Teakwood finials	Each	6		
26	Teakwood pendants	,,	4		
27	Teakwood large board as per design	,,	1		
28	Levelling ground and forming	C.yd.	150		

M. A. SRINIVASACHARI,
Executive Engineer.

KOLAR DIVISION.

Notification dated 17th July 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on the 19th August 1935 for constructing a Masonry weir and repairs to sluices to Puligal Reddikere, Reg. No. 108, Bagepalli Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. to 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees one hundred and eighty in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for" constructing a Masonry weir and repairs to sluices to Puligal Reddikere, Reg. No. 108, Bagepalli Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Tenders stating that the dues in the department may be adjusted towards earnest money will be rejected.

14. Progress to the extent of Rs. 700 has to be shown every month.

Abstract estimate for constructing weirs to Puligal Reddikere, Register No. 108, Bagepalli Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	I. *Constructing Left Waste Weir 200 ft. long at 50·00.*				
1	Earthwork excavation in hard Chettu soil ..	C.yd.		470	
2	Stone jelly concrete in surki mortar	C.ft.		1,082	
3	Stone in surki mortar	,,		1,879	
4	Burnt stone slabs 6″ thick dressed and fixed ..	S.ft.		333	
5	New stone work for apron	C.yd.		256	
6	Removing and resetting old stone apron ..	,,		67	
7	Providing and fixing slabs 6″ thick dressed and fixed	S.ft.		534	
8	Pointing with surki mortar	Sqr.		14·11	
9	Providing joggle joints	Each		25	
10	Revetment to flank bund	C.yd.		63	
	II. Providing masonry wall to lead sluice water			L. S.	
	III. Constructing Right Waste Weir 200 ft. long at R. L. 50·00.				
1	Earthwork excavation in hard gravelly soil ..	C.yd.		3,616	
2	Benching hard rock 6″ deep	S.ft.		68	
3	Stone jelly concrete in surki mortar	C.ft.		372	
4	Burnt stone in surki mortar	,,		291	
5	Burnt stone slabs 6″ thick dressed and fixed ..	S.ft.		463	
6	Pointing with cement mortar	Sqr.		5·00	
7	New stone work for apron	C.yd.		71	
8	Providing joggle joints	Each		15	
9	Earthwork to training bank	C.yd.		80	
	IV. Providing plug and rod with locking arrangement for sluices 1 and 2			L. S.	

Notification.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 12th August 1935, for Improving Attikunte Doddakere Tank, Srinivaspur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Improving Attikunte Doddakere tank, Srinivaspur Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Tenders stating that the dues in the department may be adjusted towards earnest money will be rejected.

14. Progress to the extent of Rs. 700 has to be shown every month.

Detail Estimate for Improving Attikunte Doddakere, Reg. No. 604 of Srinivaspur Taluk.

No.	Details of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
1	Earthwork to bund including watering with lead and left and tamping, etc., complete ..	C.yd.		3,892	
2	Lead for 1,286 C.yds.	,,		1,286	
3	Clearing jungle including ant hills and removing on the bund and slope and revetment ..	No.		29 grades	
4	Turfing for front and rear slopes	S.yd.		6,140	
5	Removing and resetting old stone work ..	C.yd.		271	
6	New stone work	,,		942½	
7	Removing and refixing old grade stone including painting	No.		25	
8	Do Index stones do ..	,,		24	
9	Preparing and fixing new grade stones including carrying, numbering and painting, etc., complete	,,		4	
10	Do new Index stones do ..	,,		5	
11	Removing and refixing Registered No. stone including painting	,,		1	
12	Preparing and fixing new B. M. stone including painting	,,		1	
13	Removing and refixing the existing B. M. stone.	,,		1	
14	Preparing and fixing a new gauge stone ..	,,		1	
	Sluice No. 1.				
1	Earthwork cutting bund for examining bund and repairing the leak	C.yd.		44	
2	Examining and repairing the sluice with necessary masonry works			L. S. Rupees	
3	Earthwork refilling, watering and tamping ..	C.yd.		48	

No.	Details of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
	Sluice No. 2.				
4	Patch repairs to front and rear walls ..	L. S.			
5	Providing a plug and rod with locking arrangements	Rupees			
		,,			
	Waste-weir R. L. 52.00.				
1	Dismantling the flank bund, Earthwork excavation	C.yd.		100	
2	Draft and approach clearing	,,		1,185	
3	Removing slab over body wall and slopes ..	S.ft.		156	
3 (*a*)	Dismantling left return	C.ft.		34	
4	Burnt Brick in Surki Mortar	,,		297	
4 (*a*)	Concrete in Sutki Mortar	,,		297	
5	Refixing slabs in mortar	S.ft.		156	
6	Plastering	Sqr.		6.93	
7	Rough stone body wall	C.ft.		783	
8	Providing Burnt stone slabs grouting ..	S.ft.		1,095	
9	New stone revetment for apron	C.yd.		249	
10	Fixing pin slabs	No.		45	
11	Fixing joggles	,,		33	
12	Compensation for land to be acquired, etc., three-fourth of an acre	Rs.		..	

N. SUBBA RAO,
Executive Engineer.

MYSORE DIVISION.

Abstract Notification dated 15th July 1935.

Attention of the public is invited to tender Notification published on pages 1411-1413 in the *Mysore Gazette*, Part VI, dated 18th July 1935, calling for tenders for "Repairs of State Fund Roads in Mysore District for three years." The last date for receipt of tender is 27th July 1935.

Notification dated 18th July 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 2 P.M. on Saturday the 3rd August 1935, for "Repairing the Arch bridge of two spans in 3/2 of Nelligere-Sira road, Nagamangala Taluk." An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1935.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 90 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Repairing the Arch bridge of two spans in 3/2 of Nelligere-Sira road, Nagamangala Taluk." in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, Mysore Division, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate of quantities for repairing the Arch bridge of two spans in mile 3-2 of Nelligere-Sira road, Nagamangala Taluk.

No.	Particulars	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Excavating road materials over bridge portion and re-using useful materials	C.yd.		45	
2	Supplying and fixing burnt stone bed slabs 6" to 8" thick roughly dressed for girders ..	S.ft.		54	
3	Supplying and fixing girders (15"×6") ..	Cwt.		54	
4	Burnt stone in surki mortar	C.ft.		515	
5	Reinforced cement concrete slab 6" thick with reinforcement $\frac{3}{8}$" spaced 3" apart and reinforcement $\frac{1}{4}$" spaced 1 foot apart transverse cast in section (1 : 2 : 4) as per plan in office including centring expansion joint, etc., complete	C.ft.		405	
6	Brick in mortar parapet portion	,,		100	
7	Plastering parapet	Sqr.		3.60	
8	Road materials new, collection and consolidation, etc., complete	C.ft.		23	
9	Temporary road for traffic	L. S.			

V. V. PATANKAR,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

DEPARTMENT OF INDUSTRIES AND COMMERCE.

GOVERNMENT INDUSTRIAL AND TESTING LABORATORY.

Abstract Notification.

The attention of the public is invited to the Notification calling for tenders for the construction of a Zinc Shed in the compound of the Sandal Koti, Malleswaram, Bangalore, published on page 1418 of Part VI of the *Mysore Gazette*, dated 18th July 1935.

The last date for receiving tenders is 31st July 1935 (3 P.M.).

K. A. N. RAO,
Superintendent.